

INDEX TO VOLUME 83

The Index for Volume 83 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

SUBJECT INDEX

- 1-aminocyclopropane-1-carboxylic acid, effect on ethylene production by *Laccaria* 236-240
- Aero-aquatic fungi 317-321
- Agarwal, P. C., C. N. Mortensen and S. B. Mathur. Seed-borne disease and seed health testing of rice; review 249
- Ahmadjian, V. see Chadegani and Ahmadjian 779
- Akin, D. E. see Wubah et al. 303
- . see Wubah et al. 40
- Alexander, T. see Toth et al. 553
- Allen, M. F. see Friese and Allen 409
- Allopatric speciation
- Peniophora cinerea* 736-740
- Ammirati, J. F. [Review of] *Cortinarius*: *Flora Photographica*. 681
- . [Review of] *Fungorum rariorum icones coloratae*, pars XVII. *Cortinaires*, recens nouveaux on fantomes. 690-691
- Antifungal activity
- endophytes 529-536
- Arthropod dispersal
- Stylopaga* 360-365
- Ascospore
- development in *Ophiostoma cucullatum* 698-706
- Bacon, C. W. and D. M. Hinton. Microcyclic conidiation cycles in *Epichloe typhina*. 743-751
- Badham, E. R. Growth and competition between *Lentinus edodes* and *Trichoderma harzianum* on sawdust substrates. 455-463
- Baird, R. E. Growth and stromata production of hypovirulent and virulent strains of *Cryphonectria parasitica* on dead *Quercus rubra* and *Acer rubrum*. 158-162
- Bandoni, R. J. see Ginns and Bandoni 548
- Bärlocher, F. Intraspecific hyphal interactions among aquatic hyphomycetes. 82-88
- Baroni, T. J. see Desjardin and Baroni 832
- Baroni, T. J. and E. E. Both. *Chalciporus piperatoides* in North America. 559-564
- Barr, D. J. S. see Klassen et al. 657
- Bas, C., W. Kuyper Th., M. E. Noordeloos and E. C. Vellinga, Eds. *Flora Agaricina Neerlandica*. Vol. 2., A. General part, B. Taxonomic part: *Pleurotaceae*, *Pluteaceae*, *Tricolomataceae*; review 682-683
- Basidiocarp development
- Asterophora* 220-223
- Flammulina velutipes* 480-490
- Basidiospore characteristics
- Cronartium quercuum* 440-444
- Bayman, P. and P. J. Cotty. Improved media for selecting nitrate-nonutilizing mutants in *Aspergillus flavus*. 311-316
- Beelman, R. B. see Mau et al. 142
- Benjamin, R. K. see Benny and Benjamin 713
- Bennett, E. L. see Toth et al. 553
- Benny, G. L. *Gilbertellaceae*, a new family of the *Mucorales* (Zygomycetes). 150-157
- Benny, G. L. and R. K. Benjamin. The *Radiomycetaceae* (Mucorales; Zygomycetes). III. A new species of *Radiomyces*, and cladistic analysis and taxonomy of the family; with a discussion of evolutionary ordinal relationships in *Zygomycotina*. 713-735
- Benomyl
- isolation of *Hymenomyces* 296-302
- Berny, J.-F. and G. L. Hennebert. Viability and stability of yeast cells and filamentous fungus spores during freeze-drying: effects of protectants and cooling rates. 805-815
- Bhat, D. J. see Rajashekhar et al. 230
- Bills, G. F. see Polishook et al. 797
- Biography
- Paden J. W. 545-547
- Wilson C. M. 20-23
- Biological species
- Collybia dryophila* 758-771
- Biomass
- calculation of in vesicular-arbuscular mycorrhizae 553-558
- Biosystematics
- Laccaria laccata* 578-592
- Blackwell, M. and D. Malloch. Life history and arthropod dispersal of a coprophilous *Stylopaga*. 360-366
- Blackwell, W. H. see Powell and Blackwell 673
- Blaszkowski, J. Polish *Glomales* VIII. *Scutellispora nodosa*, a new species with knobby spores. 537-542
- Boise, J. R. see Pfister et al. 690
- Bon, M. *Fungorum rariorum icones coloratae*, pars XV, *Cortinarius*; review 690
- Both, E. E. see Baroni and Both 559
- Bottalico, A. see Logrieco et al. 367
- Boucias, D. G. see Pendland and Boucias 264
- Bowerman, L. and R. D. Goos. Fungi associated with living leaves of *Nymphaea odorata*. 513-516
- . Physiological studies of two fungi isolated from *Nymphaea odorata*. 624-632
- Brandrud, T. E., H. Lindstrom, H. Marklund, J. Melot and S. Muskos. *Cortinarius*: *Flora Photographica*; review 681
- Braun, K. L. William D. Gray, 1912-1990. 693-697
- Breen, J. P. see White et al. 601
- Burton, K. W. see Ruch et al. 821
- Butler, E. E. see Eastburn and Butler 257
- Caldwell, B. A., M. A. Castellano and R. P. Griffiths. Fatty acid esterase production by ectomycorrhizal fungi. 233-236

- Callan, B. E. and K. N. Egger. John Wilburn Paden: 1933-1990. 545-547
- Campbell, C. L. see Lucas et al. 243
- Carbon sources
growth on by marine fungi 227-230
- Castellano, M. A. see Caldwell et al. 233
- Cell surfaces
haustorial mycoparasites
- Centrum development
Ophiostoma cucullatum 698-706
- Chadegani, M. and V. Ahmadjian. Protoplast fusion between mutant strains of *Microsporium gypseum*. 779-786
- Chambless, D. A. see White et al. 72
- Chamuris, G. P. Speciation in the *Peniophora cinerea* complex. 736-742
- . [Review of] *Lopharia* and *Porostereum* (Corticiciae), *Synopsis Fungorum* 4. 382
- Chang, H. S. see Ho et al. 419
- Chase, A. R. Compendium of ornamental foliage plant diseases; review 248
- Chemotaxonomy
Tremella 446-453
- Chemotypes
Fusarium species 121-128
- Chlorate media 311-316
- Cho, K. Y. see Song et al. 24
- Clark, J., O. R. Collins and Tang H.-C. T. Didymium iridis mating systems: partial compatibility between mating series. 210-213
- Clay, K. see Stovall and Clay 288
- Collins, O. R. see Clark et al. 210
- . e 409-417
- Compatibility
Tremella spp. 273-285
- Competition
Lentinus and Trichoderma 445-462
- Competitive saprophytic ability
Trichoderma harzianum 257-262
- Conidium germination
Epichloe typhina 743-750
- Conidium ontogeny
Cercospora kikuchii 752-756
- Constantinescu, O. Bremiella sphaerosperma sp. nov. and Plasmopara borrieriae comb. nov. 473-479
- Cortinarins
Cortinarium speciosissimum 492-499
- Cotty, P. J. see Bayman and Cotty 311
- Cultural characters
Corticaceae 131-140
- Culture conditions
Dichotomophthoropsis nymphaearum 624-632
Lentinus 445-462
Sclerotium hydrophilum 624-632
- Culture medium
effect on Acremonium coenophialum 110-114
- Cyst
ultrastructure in Saprolegnia ferax 163-177
- DNA extraction 835-838
- DNA levels
Neocallimastix 40-47
- DNA relatedness
Sporidiobolus ruinenii and Sporobolomyces coprophilus 107-109
- Deoxynivalenol
Fusarium nivale 367-369
- Désaulniers, N. L. see Klassen et al. 657
- Desjardin, D. D. Studies on Marasmius from eastern North America. IV. Additions to sect. Sicci. 30-39
- Desjardin, D. E. and T. J. Baroni. A new species of Pouzaromyces from the Hawaiian Islands. 832-835
- Development
Ophiostoma cucullatum 698-706
Rhynchosporium orthosporum 774-778
endophytes in grasses 601-609
- Developmental variation
mycelium 48-66
- Dispersal
Septosperma rhizophydii 673-679
- Double-stranded RNA
Pythium irregulare 657-661
- Duenas, M. see Pando et al. 385
- Dyer, B. J. see Kirk et al. 227
- Eastburn, D. M. and E. E. Butler. Effects of soil moisture and temperature on the saprophytic ability of Trichoderma harzianum. 257-263
- Ecology
aero-aquatic fungi 317-321
hypogeous fungi 335-352
- Edophytes
Epichloe typhina 72-80
- Elgrass
Labyrinthula zosterae 180-190
- Egger, K. N. see Callan and Egger 545
- Eifler, M. A. see Pfister et al. 690
- Electrophoresis
Leptostroma spp. 89-95
- Electrostatic interaction
Nomuraea rileyi 264-272
- Embedding
herbarium specimens 520-523
- Endophytes
Leptostroma spp. 89-95
antifungal activity 529-536
growth studies of grass inhabiting 601-609
- Evolution
Lentinus 425-438
- Farr, D. F. Septoria species on Cornus. 611-623
- Federici, F., M. Petruccioli, R. G. Federici and M. W. Miller. Scanning electron microscopy of Ca-alginate-immobilized Aureobasidium pullulans grown under various culture conditions. 595-600
- Federici, R. G. see Federici et al. 595
- Fell, J. W. see Kurtzman and Fell 107
- Fernandez, F. A., D. A. Glawe and J. B. Sinclair. Microcycle conidiation and nuclear behavior during conidiogenesis in Cercospora kikuchii. 752-757
- Fernandez, J. P. and R. E. Welty. Histopathology of orchardgrass infected by Rhynchosporium orthosporum. 774-778
- Fixation
herbarium specimens 520-523
- Flavor
effect of nutrients on in mushrooms 142-149
- Fletcher, J. T., P. F. White and R. H. Gaze. Mushrooms: pest and disease control; review 683-684

Fluorescence

- Cortinarius speciosissimus 492-499
- Fogel, R. [Review of] Geastraceae (Basidiomycotina), Synopsis fungorum 1. 684
- Franco-Molano, A. E. Catatrama (Tricholomataceae), a new genus from Costa Rica. 501-505
- Freeze-drying yeasts 805-813
- Frenkel, R. E. see Luoma et al. 335
- Friese, C. F. and M. F. Allen. The spread of VA mycorrhizal fungal hyphae in the soil: inoculum types and external hyphal architecture. 409-418
- Fuller, M. S. [Review of] A programmed guide for the cultivation of fungi. 686-687
- see Wubah et al. 303
- see Wubah et al. 40
- Fungal biomass measuring in vesicular-arbuscular mycorrhizae 553-558
- Fungal viruses
- Lentinula edodes 506-509
- Fusion of protoplasts
- Microsporium gypseum 779-785
- Gardner, D. E. Atelocaula angustiphylloda sp. nov., a microcyclic rust on Acacia koa in Hawaii. 650-653
- Gaze, R. H. see Fletcher et al. 683
- Genetic divergence
- Collybia dryophila 758-771
- Genetics
- Lentinus edodes 354-359
- Gessner, R. V. [Review of] A bibliography of taxonomic mycological literature 1753-1821. Mycological Memoir No. 17. 690
- [Review of] Catalogo comentado y sintesis corologica de los Myxomycetes de la Peninsula Iberica e Islas Baleares (1788-1990), Vol. 9. Ruzia. 691
- [Review of] International mycological directory. 385
- see Pando et al. 385
- Ginns, J. and R. J. Bandoni. Aleurodiscus gigasporus sp. nov. from China and A. subglobosporus sp. nov. from Japan. 548-552
- Glawe, D. A. [Review of] Botany illustrated. 248
- [Review of] Compendium of ornamental foliage plant diseases. 248
- [Review of] Compendium of wheat disease, second edition. 249
- [Review of] Genetics of plant pathogenic fungi, volume 6 of Advances in Plant Pathology. 248
- [Review of] Seed-borne disease and seed health testing of rice. 249
- see Fernandez et al. 752
- see Yoon et al. 835
- Glenn-Lacy, J. and P. B. Kaufman. Botany illustrated; review 248
- Glucoamylase production
- Aureobasidium pullulans 595-599
- Glycogen synthase
- Phymatotrichum omnivorum 669-672
- Glyoxylate cycle
- Homobasidiomycete basidiospores 821-825
- Goos, R. D. [Review of] Contributions toward a my-

- cobiota of Indonesia: Hypocreales, synnematosus Hyphomycetes, Aphyllophorales, Phragmobasidiomycetes and Myxomycetes. 383
- [Review of] The sacred mushroom seeker: essays for R. Gordon Wasson. 246
- see Bowerman and Goos 513
- see Bowerman and Goos 624
- Grafting
- Flammulina velutipes 480-490
- Grand, L. F. see Venkatasubbaiah et al. 511
- Gray W. D. 1912-1990. 693-697.
- Greenhalgh, R. see Miller et al. 121
- Gregory, N. M. see Watling and Gregory 383
- Griffiths, R. P. see Caldwell et al. 233
- Growth parameters
- culture of Acremonium coenophialum 110-114
- Gruen, H. E. Effects of grafting on stipe elongation and pileus expansion in the mushroom Flammulina velutipes. 480-491
- Gunasekaran, M. see Sangan and Gunasekaran 669
- Habitat variation
- hypogeous fungi 335-352
- Hafellner, J. see Magnes and Hafellner 689
- Hall, G. S. and D. L. Hawksworth. International mycological directory; review 385
- Hallenberg, N. and E. Larsson. Differences in cultural characters and electrophoretic patterns among sibling species in four different species complexes (Corticaceae, Basidiomycetes). 131-141
- Halling, R. E. see Horak and Halling 464
- Hanlin, R. T. [Review of] Westcott's plant disease handbook. 244
- Hansen, E. M. and D. P. Maxwell. Species of the Phytrophthora megasperma complex. 376-381
- Hanson, L. C. and K. Wells. Characterization of three Tremella species by isozyme analysis. 446-454
- Mating compatibility and population studies of three species of Tremella. 273-287
- Hasebe, K., S. Murakami and A. Tsuneda. Cytology and genetics of a sporeless mutant of Lentinus edodes. 354-359
- Haustorial mycoparasites
- lectins in germ tubes
- Hawksworth, D. L. see Hall and Hawksworth 385
- Hennebert, G. L. see Berny and Hennebert 805
- Herrera, T. and L. Ulloa. El reino de las hongos. Micologia basica y aplicada; review 246
- Heterothallism
- Didymium iridis 210-213
- Hetrick, B. A. D. and G. W. T. Wilson. Effects of mycorrhizal fungus species and metalaxyl application on microbial suppression of mycorrhizal symbiosis. 97-102
- Hibbett, D. S. and R. Vilgalys. Evolutionary relationships of Lentinus to the Polyporaceae: evidence from restriction analysis of enzymatically amplified ribosomal DNA. 425-439
- Hill, N. S. see Pope and Hill 110
- Hinton, D. M. see Bacon and Hinton 743
- Hjortstam, H. and L. Ryvarden. Lopharia and Porostereum (Corticaceae), Synopsis Fungorum 4; review 382
- Ho, H. H., H. S. Chang and S. Y. Hsieh. Halophy-

- trophthora kandeliae, a new marine fungus from Taiwan. 419-424
- Horak, E. and R. E. Halling. New records of Phaeocollybia from Colombia. 464-472
- Horst, R. K. Westcott's plant disease handbook; review 244
- Host resistance
- Puccinia substriata var. indica 565-575
- Host response
- Puccinia substriata var. indica 565-575
- Hsieh, S. Y. see Ho et al. 419
- Huhndorf, S. M. A method for sectioning Ascomycete herbarium specimens for light microscopy. 520-524
- Huss, M. J. see Lichtwardt et al. 214
- Hyde, K. D. Massarina velatosporea and a new mangrove inhabiting species, M. ramunculicola sp. nov. 839-845
- Hydrophobic interactions
- Nomuraea rileyi 264-272
- Hymenomycete isolation 296-302
- Hyphal interactions
- aquatic hyphomycetes 82-87
- Hypogeous fungi
- sampling 335-352
- Hypovirulent strain
- Cyphonectria parasitica survival in oak and maple 58-162
- Immobilization
- in fermenting with Aureobasidium pullulans 595-599
- Incompatibility 48-66
- Indole-3-acetic acid
- presence in Pichia spartinae 662-664
- Ingen, C. W. van see Tan et al. 654
- Ingram, L. A. see Ruch et al. 821
- Intraspecific interactions
- aquatic hyphomycetes 82-87
- Irwin, J. A. G. Phytophthora macrochlamydospora, a new species from Australia. 517-519
- Isoelectric focusing
- Corticaceae taxonomy 131-140
- Isoenzymes
- Tremella 446-453
- Isolation of Hymenomycetes 296-302
- Isotrichodermin
- Fusarium species 121-128
- Iterative germination
- Epichloe typhina 743-750
- Jarstfer, A. G. see Toth et al. 553
- Johnson, D. A. see Uecker and Johnson 192
- Jones, E. O. see Suberkropp and Jones 665
- K2-bodies
- Saprolegnia ferax 163-177
- Kalis-Kuznia, R. A., E. L. Stewart and R. A. Meronuck. First record and notes on Pleiochaeta setosa in Minnesota. 826-828
- Kaneko, S. see Kuhlman and Kaneko 440
- Kaufman, P. B. see Glimm-Lacy and Kaufman 248
- Kaveriappa, K. M. see Rajashekhar et al. 230
- Kendrick, B. see Premdas and Kendrick 317
- Key
- Halophytophthora 424
- Laccaria laccata complex 588-589
- Septoria on Cornus 614
- genera of Radiomycetaceae 714
- marine species of Massarina 844-845
- species of Radiomyces 714
- Khan, R. S. see Krug and Khan 103
- see Krug and Khan 829
- Khan, R. S. and J. C. Krug. Podospora fibrinocaudata, a new species from California. 817-821
- Kim, W. K. see Klassen et al. 657
- Kinetosome-associated organelle
- Saprolegnia ferax 163-177
- Kirk, P. W., B. J. Dyer and J. Noe. Hydrocarbon utilization by higher marine fungi from diverse habitats and localities. 227-230
- Kitsuwa, T. see Nakamura et al. 662
- Klassen, G. R., W. K. Kim, D. J. S. Barr and N. L. Désaulniers. Presence of double-stranded RNA in isolates of Pythium irregulare. 657-661
- Kohlmeyer, J. [Review of] Ascomyceten auf Gefasspflanzen an ufern von Gebirgssen in den Ostalpen. 689
- Krug, J. C. see Khan and Krug 817
- Krug, J. C. and R. S. Khan. Dictyocoprotus, a new genus of the Pyronemataceae with reticulated ascospores. 103-106
- A new homothallic species of Neurospora from Hungary. 829-832
- Kuhlman, E. G. and S. Kaneko. Comparisons of basidiospores and urediniospores of formae speciales of Cronartium quercuum. 440-445
- Kurtzman, C. P. and J. W. Fell. Molecular relatedness between the basidiomycetous yeasts Sporidiobolus ruinenii and Sporobolomyces coprophilus. 107-110
- Kuyper, Th. W. see Bas et al. 682
- Laatsch, H. and L. Matthies. Fluorescent compounds in Cortinarius speciosissimus: investigation for the presence of cortinarins. 492-500
- Lado, C. Catalogo commentado y sintesis cronologica de los Myxomycetes de la Peninsula Iberica e Islas Baleares (1788-1990), Vol. 9. Ruzia; review 691
- see Pando et al. 385
- Laessle, T. see Rogers et al. 224
- Larsson, E. see Hallenberg and Larsson 131
- Latch, G. C. M. see Siegel and Latch 529
- Leaf colonization
- aero-aquatic fungi 317-321
- Lectins
- haustorial mycoparasites 643-648
- Lehnen, L. P. and M. J. Powell. Formation of K2-bodies in primary cysts of Saprolegnia ferax. 163-179
- Lentic system
- aero-aquatic fungi 317-321
- Lichtwardt, R. W., S. W. Peterson and M. J. Huss. Orphella hiemalis: a new and rare Trichomycete occurring in winter-emerging stoneflies (Plecoptera, Capniidae). 214-219
- Lichtwardt, R. W., S. W. Peterson and M. C. Williams. Ejectosporus, an unusual new genus of Harpellales in winter-emerging stonefly nymphs (Capniidae) and a new species of Paramoebidium (Amoebias). 389-396
- Lindstrom, H. see Brandrud et al. 681

- Lipid biosynthesis
Lentinula edodes fruiting 24-29
- Livingston, W. H. Effect of methionine and 1-aminocyclopropane-1-carboxylic acid on ethylene production by *Laccaria bicolor* and *L. laccata*. 235-241
- Lodge, D. J. see Rogers et al. 224
- Logrieco, A. see Peterson and Logrieco 397
- Logrieco, A., R. F. Vesonder, S. W. Peterson and A. Bottalico. Reexamination of the taxonomic disposition of and deoxynivalenol production by *Fusarium nivale* NRRL 3289. 367-370
- Low temperature shock treatment
Lentinula edodes fruiting 24-29
- Lowy, B. [Review of] *El reino de los hongos. Micología básica y aplicada*. 246
- Lü, H. and D. J. McLaughlin. Ultrastructure of the septal pore apparatus and early septum initiation in *Auricularia auricula-judae*. 322-333
- Lü, M. see Miller et al. 121
- Lucarotti, C. J. and I. K. Ross. Charles Maye Wilson 1916-1989. 20-23
- Lucas, G. B., C. L. Campbell and L. T. Lucas. Introduction to plant diseases: identification and management; review 243
- Lucas, L. T. see Lucas et al. 243
- Lundquist, J. E. see Walla et al. 251
- Luoma, D. L., R. E. Frenkel and J. M. Trappe. Fruiting of hypogeous fungi in Oregon douglas-fir forests: seasonal and habitat variation. 335-353
- Magnes, M. and J. Hafellner. Ascomyceten auf Gefäßpflanzen an ufern von Gebirgssseen in den Ostalpen; review 689
- Malate synthase
Homobasidiomycete basidiospores 821-825
- Malloch, D. see Blackwell and Malloch 360
- Manion, P. D. Tree disease concepts; review 687
- Mankau, R. see Upadhyay and Mankau 371
- Manocha, M. S. and A. S. Sahai. Cell surface characterization of five haustorial mycoparasites with lectin probes. 643-649
- Marasas, W. F. O. see Onyike et al. 708
- Marklund, H. see Brandrud et al. 681
- Marr, C. D. [Review of] *The genus Clavariadelphus in North America, Bibliotheca Mycologica Band 138*. 687-688
- Mathur, S. B. see Agarwal et al. 249
- Mating compatibility
Collybia dryophila 758-771
Peniophora cinerea 736-740
Tremella spp. 273-285
- Mating types
Didymium iridis 210-213
- Matossian, M. K. Poisons of the past; review 242
- Matthies, L. see Laatsch and Matthies 492
- Mau, J.-L., R. B. Beelman, G. R. Ziegler and D. J. Royse. Effect of nutrient supplementation on flavor, quality, and shelf life of the cultivated mushroom, *Agaricus bisporus*. 142-149
- Maxwell, D. P. see Hansen and Maxwell 376
- McLaughlin, D. J. see Lü and McLaughlin 322
- McMeekin, D. Basidiocarp formation in *Asterophora lycoperdoides*. 220-223
- Melot, J. see Brandrud et al. 681
- Meronuck, R. A. see Kalis-Kuznia et al. 826
- Methionine
 effect on ethylene production by *Laccaria* 236-240
- Methven, A. S. *The genus Clavariadelphus in North America, Bibliotheca Mycologica Band 138*; review 687-688
- . [Review of] *British fungus flora 6: Crepidotaceae, Pleurotaceae and other pleurotoid agarics*. 383
- Meyers, S. P. see Nakamura et al. 662
- Micales, J. A. [Review of] *Identification manual for fungi from utility poles in the eastern United States*. 685-686
- Microcycle conidiation
Cercospora kikuchii 752-756
Epichloe typhina 743-750
- Miller, J. D., R. Greenhalgh, Y. Z. Wang and M. Lü. Trichothecene chemotypes of three *Fusarium* species. 121-130
- Miller, M. W. see Federici et al. 595
- Miller, R. M. see Toth et al. 553
- Mims, C. W. Using electron microscopy to study plant pathogenic fungi. 1-19
- . see Taylor and Mims 565
- Moenne-Loccoz, P. and P. Reumaux. *Fungorum rariorum icones coloratae, pars XVII, Cortinaires, recens nouveaux on fantomes*; review 690-691
- Molecular systematics
Gibberella 397-401
Lentinus 425-438
- Moore-Landecker, E. *Fundamentals of the fungi*; review 688-689
- Moose dung
Stylopage 360-365
- Morgan-Jones, G. see White et al. 601
- . see White et al. 72
- Morrow, A. C. see White et al. 72
- Mortensen, C. N. see Agarwal et al. 249
- Motta, J. J. and R. & Specker. A programmed guide for the cultivation of fungi; review 686-687
- Muehlstein, L. K., D. Porter and F. T. Short. *Labyrinthula zosterae* sp. nov., the causative agent of wasting disease of eelgrass, *Zostera marina*. 180-191
- Mueller, G. M. *Laccaria laccata* complex in North America and Sweden: intercollection pairing and morphometric analyses. 578-594
- . [Review of] *Flora Agaricina Neerlandica. Vol. 2., A. General part, B. Taxonomic part: Pleurotaceae, Pluteaceae, Tricolomataceae*. 682-683
- Murakami, S. see Hasebe et al. 354
- Murakami, T. see Nakamura et al. 662
- Muskos, S. see Brandrud et al. 681
- Mycelial dynamics 48-46
- Mycelioid thallus
Caecomyces communis 303-310
- Mycoparasite specificity
 roll of lectins
- Mycotoxins
 trichothecene in *Fusarium* species 121-128
- Mycovirus
 presence in *Pythium irregulare* 657-661
- Nair, N. C. see Song et al. 24
- Nakamura, T., T. Murakami, M. Saotome, K. Tomita, T. Kitsuwaka and S. P. Meyers. Identification of in-

- dole-3-acetic acid in *Pichia spartinae*, an ascosporeogenous yeast from *Spartina alterniflora* marshland environments. 662-664
- Nakasone, K. K. Cultural studies and identification of wood inhabiting Corticiaceae and selected Hyphomycetes from North America. Mycological Memoir No. 15; review 681-682
- Neely, D. [Review of] Tree disease concepts. 687
- Nelson, P. E. see Onyike et al. 708
- Nitrate-nonutilizing mutants
Aspergillus flavus 311-316
- Nivalenol
Fusarium species 121-128
- Noe, J. see Kirk et al. 227
- Noordeloos, M. E. see Bas et al. 682
- Nucleases
aquatic hyphomycetes 665-668
- Nutrition
Dichotomophthoropsis nymphaearum 624-632
Sclerotium hydrophilum 624-632
- Oil supplementation
use in cultivating mushrooms 142-149
- Onyike, N. B. N., P. E. Nelson and W. F. O. Marasas.
Fusarium species associated with millet grain from Nigeria, Lesotho, and Zimbabwe. 708-712
- Orthophenylphenol
isolation of *Hymenomyces* 296-302
- Paden J. W. 1933-1990. 254-547
- Page Lindsey, J. [Review of] Cultural studies and identification of wood inhabiting Corticiaceae and selected Hyphomycetes from North America. Mycological Memoir No. 15. 681-682
- Palm, M. E. Taxonomy and morphology of the synanamorphs *Pilidium concavum* and *Hainesia lythri* (Coelomycetes). 787-796
- Pando, F., M. Duenas, C. Lado, M. T. Telleria and R. V. Gessner. Cuadernos de trabajo de flor micologica Iberica: informacion bibliografica. I. Espana Peninsular e Islas Baleares. 385
- Pendland, J. C. and D. G. Boucias. Physiochemical properties of cell surfaces from the different developmental stages of the entomopathogenic Hyphomycete *Nomuraea rileyi*. 264-272
- Peterson, S. W. see Lichtwardt et al. 214
— see Lichtwardt et al. 389
— see Logrieco et al. 367
- Peterson, S. W. and A. Logrieco. Ribosomal RNA sequence variation among interfertile strains of some *Gibberella* species. 397-402
- Petrini, O. see Sieber-Canavesi et al. 89
- Petrucchioli, M. see Federici et al. 595
- Pfister, D. H., J. R. Boise and M. A. Eifler. A bibliography of taxonomic mycological literature 1753-1821. Mycological Memoir No. 17; review 690
- Phosphatases
aquatic hyphomycetes 665-668
- Phosphorus nutrition
aquatic hyphomycetes 665-668
- Phylogeny
septal pores 322-333
- Physiology
Dichotomophthoropsis nymphaearum 624-632
Sclerotium hydrophilum 624-632
- Pileus expansion
Flammulina velutipes 480-490
- Polishook, J. D., G. F. Bills and A. Y. Rossman. A new species of *Neocosmospora* with a *Penicillifer* anamorph. 797-804
- Pope, D. D. and N. S. Hill. Effects of various culture media, antibiotics, and carbon sources on growth parameters of *Acremonium coenophialum*, the fungal endophyte of tall fescue. 110-115
- Population genetics
Tremella 446-453
Tremella spp. 273-285
- Porter, D. see Muchhastein et al. 180
- Portrait
Mims C. frontispiece
Paden J. W. 545
Wilson C. M. 20
- Powell, M. J. see Lehnen and Powell 163
- Powell, M. J. and W. H. Blackwell. A proposed dispersal mechanism for *Septosperma rhizophydii*. 673-680
- Premdas, P. D. and B. Kendrick. Colonization of autumn-shed leaves by four aero-aquatic fungi. 317-321
- Presidential address
Mims C. W. 1-19
- Rajashekar, M., D. J. Bhat and K. M. Kaveriappa. An undescribed species of *Vermispora* from India. 230-232
- Rayner, A. D. M. The challenge of the individualistic mycelium. 48-71
- Redhead, S. A. [Review of] *Fungorum rariorum icones coloratae*, pars XIX, *Inocybe critiquabiles* et critiques. 382
- Redlin, S. C. *Discula destructiva* sp. nov., cause of dogwood anthracnose. 633-642
- Redlin, S. C. and A. Y. Rossman. *Cryptodiaporthe corni* (Diaporthales), cause of *Cryptodiaporthe* cancer of pagoda dogwood. 200-209
- Resistant sporangium
Neocallimastix 40-47
- Resting spore
development in *Septosperma rhizophydii* 673-679
- Reumaux, P. see Moenne-Loccoz and Reumaux 382
— see Moenne-Loccoz and Reumaux 690
- Ribosomal RNA comparison
Fusarium nivale 367-369
- Riedinger, T. J. ed. The sacred mushroom seeker: essays for R. Gordon Wasson; review 246
- Rippon, J. W. [Review of] *Poisons of the past*. 242
- Rogers, J. D., T. Laessle and D. J. Lodge. *Camillea*: new combinations and a new species. 224-227
- Romaine, C. P. see Rytter et al. 506
- Root colonization
vesicular-arbuscular mycorrhiza 97-101
- Ross, I. K. see Lucarotti and Ross 20
- Rossman, A. Y. see Polishook et al. 797
— see Redlin and Rossman 200
- Royce, D. J. see Mau et al. 142
— see Rytter et al. 506
- Ruch, D. G., K. W. Burton and L. A. Ingram. Occurrence of the glyoxylate cycle in basidiomycetes. 821-825
- Rumen fungus
Neocallimastix 40-47

- Rytter, J. L., D. J. Royse and C. P. Romaine. Incidence and diversity of double-stranded RNA in *Lentinula edodes*. 506-510
- Ryvarden, L. see Hjortstam and Ryvarden 382
- Sahai, A. S. see Manocha and Sahai 643
- Saikawa, M. and H. Sato. Ultrastructure of *Cochlonema odontosperma*, an endoparasite in amoebae. 403-408
- Samuels, et al. Contributions toward a mycobiota of Indonesia: Hypocreales, synnematosus Hyphomycetes, Aphylllophorales, Phragmobasidiomycetes and Myxomycetes; review 383
- Sangan, P. and M. Gunasekaran. Purification and properties of glycogen synthase from *Phymatotrichum omnivorum*. 669-673
- Saotome, M. see Nakamura et al. 662
- Sato, H. see Saikawa and Sato 403
- Seasonal variation
hypogeous fungi 335-352
- Selective media
isolation of Hymenomycetes 296-302
- Septal formation
Auricularia auricula-judae 322-333
- Septal pores
Auricularia auricula-judae 322-333
- Shaw, P. D. see Yoon et al. 835
- Shelf life
effects of nutrients on in mushrooms 142-149
- Short, F. T. see Muehlstein et al. 180
- Sibling species
Corticaceae 131-140
- Sidhu, G. S. ed. Genetics of plant pathogenic fungi, volume 6 of *Advances in Plant Pathology*; review 248
- Sieber, T. N. see Sieber-Canavesi et al. 89
- Sieber-Canavesi, F., O. Petrini and T. N. Sieber. Endophytic *Leptostroma* species on *Picea abies*, *Abies alba*, and *Abies balsamea*: a cultural, biochemical, and numerical study. 89-96
- Siegel, M. R. and G. C. M. Latch. Expression of antifungal activity in agar culture by isolates of grass endophytes. 529-537
- Sinclair, J. B. see Fernandez et al. 752
- Soil ecology
Trichoderma harzianum 257-262
biomass of vesicular-arbuscular mycorrhizae 553-558
vesicular-arbuscular mycorrhiza 97-101
- Soil microbiology
vesicular-arbuscular mycorrhizae 409-417
- Somatic compatibility
aquatic hyphomycetes 82-87
- Song, C. H., K. Y. Cho and N. C. Nair. Effect of low temperature shock treatment on sporophore initiation, lipid profile and nutrient transport in *Lentinula edodes*. 24-29
- Species concepts
Laccaria laccata 578-592
- Specker, R. & see Motta and Specker 686
- Spore development
Septosperma rhizophydii 673-679
- Sporocarp sampling
hypogeous fungi 335-352
- Sporophore initiation
Lentinula edodes 24-29
- Stalpers, J. A. see Tan et al. 654
- Steroids
Cortinarius speciosissimus 492-499
- Stewart, E. L. [Review of] Introduction to plant diseases: identification and management. 243
—, see Kalis-Kuznia et al. 826
- Stipe elongation
Flammulina velutipes 480-490
- Stovall, M. E. and K. Clay. Fungitoxic effects of *Balanisia cyperi*. 288-295
- Strongman, D. B. *Gibellula pulchra* from a spider (Salticidae) in Nova Scotia, Canada. 816-817
- Suberkropp, K. and E. O. Jones. Organic phosphorus nutrition of some aquatic hyphomycetes. 665-668
- Substrate utilization
Leptostroma spp. 89-95
- Sugar utilization
stromata formation in *Epichloe typhina* 72-80
- Sunhede, S. Geastraceae (Basidiomycotina), Synopsis fungorum I; review 684
- Systematics
Laccaria laccata 578-592
- Tan, C. S., J. A. Stalpers and C. W. van Ingen. Freeze-drying of fungal hyphae. 654-657
- Tang, H.-C. see Clark et al. 210
- Tansey, M. R. [Review of] Fundamentals of the fungi. 688-689
- Taylor, J. and C. W. Mims. Infection of and colony development within leaves of susceptible and resistant pearl millet and two nonhosts by the rust fungus *Puccinia substriata* var. *indica*. 565-577
- Telleria, M. T. see Pando et al. 385
- Tomita, K. see Nakamura et al. 662
- Toth, R., R. M. Miller, A. G. Jarstfer, T. Alexander and E. L. Bennett. The calculation of intraradical fungal biomass from percent colonization in vesicular-arbuscular mycorrhizae. 553-558
- Toxigenic variability
Fusarium species 121-128
- Translocation
Flammulina velutipes 480-490
- Trappe, J. M. see Luoma et al. 335
- Trehalose
use in freeze-drying 654-657
- Trichothecenes
Fusarium species 121-128
- Tsunedo, A. see Hasebe et al. 354
- Turf pathogens
effect of endophytes 529-536
- Tuskan, G. A. see Walla et al. 251
- Uecker, F. A. and D. A. Johnson. Morphology and taxonomy of species of *Phomopsis* on *Asparagus*. 192-199
- Ulloa, M. see Herrera and Ulloa 246
- Upadhyay, H. P. and R. Mankau. *Dactylaria nervicola* sp. nov. and *Exserohilum novae-zelandiae* comb. nov. from Mexico. 371-376
- Vacuole formation
Cochlonema odontosperma 403-408
- Van Dyke, C. G. see Venkatasubbaiah et al. 511
- Van Wyk, P. W. J. and M. J. Wingfield. Ascospore ultrastructure and development in *Ophiostoma cucullatum*. 698-706

- Vegetative compatibility 311-316
 Vellinga, E. C. see Bas et al. 682
 Venkatasubbaiah, P., L. F. Grand and C. G. Van Dyke.
 A new species of *Pestalotiopsis* on *Oenothera*. 511-513
 Vesicular-arbuscular mycorrhiza
 calculation of biomass 553-558
 effect on *Andropogon* 97-101
 inoculum types 409-417
 Vesonder, R. F. see Logrieco et al. 367
 Vilgalys, R. Speciation and species concepts in the *Collybia dryophila* complex. 758-773
 ———. see Hibbett and Vilgalys 425
 Virus-like particles
Pythium irregulare 657-661
 Viruses
Lentinula edodes 506-509
 Walla, J. A., G. A. Tuskan and J. E. Lundquist. Comparison of white- and orange-spored *Peridermium Harknessii* in native North Dakota *Pinus ponderosa*. 251-256
 Wang, C. J. K. and R. A. Zabel. Identification manual for fungi from utility poles in the eastern United States; review 685-686
 Wang, Y. Z. see Miller et al. 121
 Wasting disease
Labyrinthula zosterae 180-190
 Watanabe, T. New species of *Oedocephalum* and *Paupulasporea* from Japanese soils. 524-529
 Watling, R. and N. M. Gregory. British fungus flora 6: *Crepidotaceae*, *Pleurotaceae* and other pleurotoid agarics; review 383
 Wells, K. see Hanson and Wells 273
 ———. see Hanson and Wells 446
 Welty, R. E. see Fernandez and Welty 774
 White, J. F., Jr., J. P. Breen and G. Morgan-Jones. Taxonomic and biological studies in the *Balanisaeae*. III. Substrate utilization in selected *Acremonium*, *Atkinsonella* and *Balanisia* species. 601-610
 White, J. F., A. C. Morrow, G. Morgan-Jones and D. A. Chambless. Endophyte-host associations in forage grasses. XIV. Primary stromata formation and seed transmission in *Epichloe typhina*: developmental and regulatory aspects. 72-81
 White, P. F. see Fletcher et al. 683
 Wiese, M. V. ed. Compendium of wheat disease, second edition; review 249
 Williams, M. C. see Lichtwardt et al. 389
 Wilson, C. M. 1916-1989. 20-23
 Wilson, G. W. T. see Hetrick and Wilson 97
 Wingfield, M. J. see Van and Wingfield 698
 Worrall, J. J. Media for selective isolation of *Hymenomyces*. 296-302
 Wubah, D. A., M. S. Fuller and D. E. Akin. Resistant body formation in *Neocallimastix* sp. an anaerobic fungus from the rumen of a cow. 40-47
 ———. Studies on *Caecomyces communis*: morphology and development. 303-310
 Wuest, P. L. [Review of] Mushrooms: pest and disease control. 683-684
 Yoon, C.-S., D. A. Glawe and P. D. Shaw. A method for rapid small-scale preparation of fungal DNA. 835-838
 Zabel, R. A. see Wang and Zabel 685
 Ziegler, G. R. see Mau et al. 142
 Zoospore
 ultrastructure in *Saprolegnia ferax* 163-177

FUNGUS TAXA INDEX

Names of new taxa and the pages on which they are published are in boldface. Illustrations are indicated by the letter f following the page number on which the figure(s) occur.

- Absidia* 150
 spp. 728
Absidiaceae 150-151, 731
Acaulopage 403
pectospora 403
Acremonium 294, 601, 750, 797, 801
chisosum 602-605
coenophialum 8f, 78f, 110-114, 288, 530-531, 533-536, 602-603, 605
hypoxylon 602-605, 607-608
lolii 288, 530-531, 532f, 534-536
 sect. *Albo-lanosa* 72, 529
 sp. 534, 536, 602-603
 spp. 529-530, 608
starrii 531, 534, 536, 602
tenuicristata 802
texensis 602-603, 605, 608
typhinum 72-80, 76-77f, 529, 602-605, 609
uncinatum 602-603, 605
Actinomucor 151
Actinomycetes 515
Agaricaceae 502, 822
 tribe *Cystodermateae* 503-504
Agaricales 425, 578, 822, 832
Agaricus 446, 489, 768
bisporus 24, 142-149, 506, 767, 821
campestris 821-822, 825
placomyces 822
Agrocybe 426
Alatospora
acuminata 666
Albugo
candida 12f, 14, 476
Aleurodiscus 548
amorphus 549
australiensis 551
gigasporus 548, 549, 549-550f
grantii 549
subglobosporus 550, 550-551f
wakefieldiae 549
Allantonectria 801
miltna 801

- yuccae 801
- Allochytridium
 - expansus 309
- Allomyces 21-22, 42, 45-46
- Alpergillus
 - flavus 290-291
- Alpova
 - olivaceotinctus 234
 - trappei 339-344, 346
- Alternaria 446, 708
 - alternata 289-294, 297, 299-300
 - bataticola 654-656
 - dianthicola 654-656
 - spp. 514-515
 - tritricina 288, 294
- Amanita 492
 - caesarea 822
 - cokeri 822
 - phalloides 498
 - virosa 822
- Amanitaceae 502, 822-823
- Amerosporium 198
- Amoebidiales 395, 732
- Amoebophilus 403
- Ancylistaceae 731
- Ancylistes
 - spp. 731
- Anguillospora
 - filiformis 666-668
 - longissima 666
- Anisogramma 200
- Aphanomyces
 - euteiches 163
- Aphylophorales 131, 425, 822-823
- Apiognomonina 634, 639
 - errabunda 634, 639
 - veneta 634
- Apioportha 200
 - corni 200-201, 204, 206
- Aplectosoma 403
- Apodus
 - deciduus 820
- Apophysomyces 150
- Aquamortierella 155
 - elegans 155
- Arachnophora
 - fagicola 529
- Arcangelleva
 - parva 234
- Arenariomyces 229
 - parvulus 228-229
 - trifurcatus 228-229
 - trisepticus 228-229
- Armillaria 50, 220, 426, 767-768, 770
 - calvescens 297, 299
 - gallica 297, 299
 - gemina 297, 299
 - mellea 297, 299, 400, 438, 822
 - ostoyae 297, 299
 - sp. 299-301
 - spp. 296, 298-299
- Arthopyrenia
 - spp. 56
- Arthrotrichy
 - arthrobotryoides 806-813
- Arthuriomyces
 - peckianus 6f, 7
- Articulospora
 - tetracladia 83, 85-86, 666-667
- Aschersonia 198
 - aleyrodia 198
- Ascobolaceae 105
- Ascobolus 105
 - sexdicimsporus 105
- Ascochyta
 - corni 619
- Ascodesmidaceae 105
- Ascodesmis 105
- Ascomycetes 515, 654
- Asellariales 731-732
- Aspergillus 779, 783-784
 - awamori var. kawachi 783, 785
 - flavus 311-315
 - nidulans 311, 314-315, 784-785
 - niger 297, 299, 785
 - sp. 515
 - spp. 752
- Asteromyces
 - cruciatu 228-229
- Asterophora
 - lycopoidea 220-223, 221f
- Astreptonema
 - gammarii 732
- Atelocauda 653
 - angustiphylloda 650, 650, 651f, 652-653
 - digitata 650, 652-653, 652f
 - incrusters 653
 - koae 650
- Atkinsonella
 - hypoxylon 607f
- Aureoasidium
 - pullulans 595-599, 598f
- Auricularia 332, 770
 - auricula-judae 323-333, 325-326f, 328f, 331f
 - mesenterica 57
- Auriculariales 322, 332-333
- Austroboletus
 - gracilis 821
- Austrogautieria
 - sp. 234-235
- Backusella 730-731
- Balansia
 - cyperi 288-294
 - epichloe 602, 604, 607-608, 607f
 - henningsiana 288
- Ballocephala 731
 - verrucospora 731
- Basidiobolaceae 731
- Basidiobolus 360
 - ranarum 365
 - spp. 363, 365, 731
- Basidiomycetes 397, 654
- Basidiomycotina 131
- Bdellospora 403
- Beauveria
 - bassiana 264
- Benjaminiella 728, 730
 - multispora 730

- poitrassii 730
 Beverwykella
 pulmonaria 318–320
 Bipolaris
 sorokiniana 237, 530, 756
 spicifera 755
 Biscogniauxia 226
 nummularia 57, 61f
 Bjerkandera
 adusta 57
 Blakeslea 150, 155
 Blastocladia 46
 Blastocladiopsis 46
 elegans 46
 Bojamyces
 repens 218
 Boletaceae 559, 822
 Boletus
 badius 562
 bicolor 822
 piperatoides 559–560
 spadiceus 562
 speciosus 562
 subvelutipes 562
 Botryotrichum
 piluliferum 836–837
 Botrytis
 cinerea 514–515
 Boudiera 105
 Brachyallomyces 21–22
 Bremia 476
 Bremiella 473, 475
 artemisiae-annuae 475
 baudysii 475
 chrysanthemi-coronarii 475
 megasperma 475
 multiformis 475
 oenantheae 475
 sphaerosperma 473, 474–475f, 475
 Brettanomyces
 bruxellensis 806–813
 Buergenerula
 spartinae 229
 Byssoporia
 terrestris 234–235
 Byssothecium
 sp. 523f
 Caecomyces
 communis 303–310, 305f, 307–308f
 equi 303, 309
 Calvatia
 bovista 823
 Camillea 224, 226
 broomeiana 224, 226
 hyalospora 224
 obularia 224, 224f, 226
 signata 226
 subgen. Camillea 226
 subgen. Jongiella 226
 verruculospora 224, 224f, 226
 Campylospora
 chaetocladia 666
 Candida 784
 albicans 271, 784
 Cantharellus 220
 lateritius 822
 Capniomyces
 stellatus 394, 396
 Carbosphaerella
 leptosphaerioides 228–229
 Carouxella
 scalaris 218
 Catatrama 501, 502–504
 costaricensis 501, 502–504, 502–504f
 Catenochytridium
 hemicysti 309
 Catenularia
 spp. 56
 Cenococcum
 geophilum 234
 Cephalosporium 784
 acremonium 783, 785
 Ceratocystiopsis 698
 Ceratocystis 698, 706
 fimbriata 698, 704–705
 moniliformis 698–699, 705
 sp. 515
 Ceratophorum
 setosum 826
 Cercospora
 arachidicola 8f
 beticola 752, 755
 kikuchii 752–756, 754f
 rautensis 654–656
 spp. 752, 755
 zebrina 752
 Cercosporidium
 personatum 13f, 14, 16f
 Ceriosporopsis
 halima 228
 Ceuthospora
 concava 788, 794
 rubi 789
 Chaetocladiaceae 726
 Chaetocladium 731
 Chaetomium
 deceptivum 820
 elatum 290–291
 globosum 654–656
 spp. 514–515
 Chalciporus
 piperatoides 560, 562, 563f, 564
 piperatus 559
 rubinellus 564
 Chlamydoabsidia 150
 Chlorophyllum
 molybdites 822–827, 824f
 Choanephora 150, 154–155, 728
 persicaria 150–151
 Choanephoraceae 150, 155, 726, 731
 Chondrogaster
 sp. 234–235
 Chondrostereum
 purpureum 50, 57–60
 Chrysomyxa 440
 Chytridiomycetes 674
 Circinella 150
 umbellata 731

- Circinomor* 151
Cirrenalia
 macrocephala 228
Cladosporium
 cladosporioides 289–294
 phlei 288, 294, 536
 sp. 514–515
Clavariaceae 822
Clavariadelphus
 pistillaris 822
Clavariopsis
 aquatica 83, 84f, 85–86, 666–667
Claviceps 750
Clitocybe 220
 nebularis 53, 57
Cochlonema 403
 odontosperma 403–408, 405–407f
Cochlonemataceae 155, 403, 408
Coelomomyces 22
Coelomyces 515
Cokeromyces 726, 731
Coleophoma 198
Coleosporium 440
Colletotrichum
 gloeosporioides 634
 graminicola 530, 536
 lindemuthianum 14
 nymphaeae 513
 truncatum 8f, 9, 16f
Collybia
 alpina ssp. *alpina* 769
 alpina ssp. *subsulphurea* 769, 771
 aquosa 761, 769
 dryophila 438, 758–771, 762f
 earleae 761, 768–769
 ocior ssp. *brunneola* 769, 771
 ocior ssp. *ocior* 769
 sp. 426–437, 769
 spp. 767
Colpoma
 quercinum 57
Conidiobolus 731
 spp. 731
Coniophora
 puteana 57–59, 60f, 297, 299
 spp. 58
Coprinaceae 822
Coprinus 480, 489
 atramentarius 822–823
 cinereus 57, 354, 359
 comatus 822, 824, 824f
 disseminatus 59
 finetarius 273
 lagopus 222, 354
 macrorrhizus 354
 macrorrhizus f. *microsporus* 222
 micaceus 822
 psychromorbidus 654–656
 sterquilinus 57, 480
Coprotiella 105
Coprotus 104–105
 baeosporus 105
 glaucellus 105
 lacteus 105
 marginatus 105
Coriolus
 hirsutus 62
 pubescens 63
 versicolor 50, 54f, 56–57, 63, 285
Corollospora 227, 229
 fusca 228–229
 intermedia 227–228
 lacera 227–228
 maritima 227–229
 pulchella 227–228
Cortinariaceae 822–823
Cortinarius 492
 gentilis 492
 magnivelatus 234
 orellanus 492
 speciosissimus 492–499
Cremasteria
 cymatilis 228
Cronartium
 coleosporioides 251
 coleosporioides f. *album* 251
 fusiforme 251, 440
 quercuum 440
 quercuum f. sp. *banksianae* 440–444, 443f
 quercuum f. sp. *densiflorae* 440–444, 443f
 quercuum f. sp. *echinatae* 440–444, 443f
 quercuum f. sp. *fusiforme* 251, 254, 440–444, 443f
 quercuum f. sp. *thunbergii* 440–444
 quercuum f. sp. *virginianae* 440–444, 443f
 ribicola 641
Cryphonectria 207
 parasitica 158–162, 641
Cryptococcus
 laurentii 784–785
 terricolus 813
Cryptodiaporthe
 corni 200–208, 202f, 634
 populea 205
 salicella 205
 sect. *Noxa* 205
Cryptosporiopsis 207
Cryptostictis
 oenotherae 511
Cryptostroma
 corticale 57
Cunninghamella 728, 730
 echinulata 731
Cunninghamellaceae 731
Curvularia
 sp. 514–515
Cyathus
 stercorius 222
Cylindrocladium
 sp. 515
Cylindrosporium
 corni 619
Cystoderma
 cinnabarinum 503
Cystogenes 21
Cystopage 403
Dacrymyces
 stillatus 301, 332
Dacrymycetales 322

- Dacryomyces
 lythri 789, 794
 Dactylaria 373
 dimorphospora 373
 fusiformis 373
 humicola 373
 irregularis 373
 nervicola 371, 372f
 pseudoampulliformis 373
 Dactylella 232
 Daedalea
 quercina 299–301
 Daldinia
 concentrica 57, 61f, 297, 299
 Dendryphiella
 salina 228
 Dennisiopsis 105
 Dentinum
 repandum 822–823, 825
 Depazea
 cornicola 617
 Diaporthe
 albocarnis 200, 205–206
 corni 200, 204
 Diatrypea
 quercina 836–837
 Dichomera
 saubinetii 57
 Dichotomocladium 731
 Dichotomophthoropsis
 nymphaearum 513, 515–516, 624–632
 Dicranophora 151
 Dicranophoraceae 150–151
 Dictyocoprotus 103, 105–106
 mexicanus 103, 104f
 Dictyosporium
 pelagicum 229
 Dictyostelium 21
 Diderma
 effusum 514–515
 Didymium
 iris 210–213
 Didymosphaeria
 enalia 228–229
 rhizophorae 229
 Dimargaris
 crystalligena 643–648, 646f
 Dimargaritales 643, 731–732
 Diplochytridium
 lagenaria 309
 Discina 105
 Discohainesia
 oenotherae 787–788, 794
 Discula
 destructiva 635, 636–637f, 639
 fraxinea 639
 kriegeriana 639
 quercina 639
 sp. 205, 634
 spp. 634, 639
 umbrinella 639
 Dispira
 cornuta 643–648
 Drechslera
 erythrospila 536
 Eccrinales 732
 Ejectosporus 389
 magnus 389, 390, 391–392f, 394–395
 Elaphomyces
 granulatus 339, 341, 343–347, 351
 muricatus 339–344, 346–347
 sp. 234, 350
 spp. 351
 Ellisomyces 726, 731
 anomalus 726, 728–729
 Elsinoe
 corni 634, 640
 Endocochlus 403
 Endocronartium
 harknessii 251
 Endogonales 732
 Endogone
 lactiflua 349–350
 sp. 234
 Endophragma
 hyalosperma 515
 Endophragmiella
 spp. 56
 Endoraeicum
 sp. 650
 Endothia 207
 Endothiella
 spp. 207
 Entoloma
 lividum 822
 Entolomataceae 832
 Entomophthoraceae 731
 Entomophthorales 731–732
 Epichloe
 typhina 72–80, 288, 529–531, 533–536, 601–602,
 743–750, 745–749f
 Epicoccum
 nigrum 515
 Eremomyces
 bilateralis 820
 Erysiphe
 graminis 446
 graminis f. s. hordei 3f
 Euallomyces 21
 Euryancale 403
 Exobasidium 14
 camelliae var. gracilis 12–13f
 japonicum 13f
 Exserohilum 375
 novae-zelandiae 372–373f, 373
 Favolus
 arcularius 222
 Fenestella
 princeps 523f, 756
 Fennellomyces 731
 sp. 728
 Filobasidiella
 bacillispora 108
 neoformans 108
 Flagellospora
 curvula 666
 penicillioides 666
 Flammulina

- velutipes 24, 57, 480-490, 482f
- Fomes
 - cajanderi 285
- Fomitopsis
 - cajanderi 285
 - pinicola 301, 836-837
- Fuligo
 - septica 364
- Fusarium 314, 426, 446, 708, 801
 - chlamydosporum 709-711
 - crookwellense 121-128
 - culmorum 121-128
 - equiseti 709-711
 - graminearum 121-128, 369, 708-710
 - moniliforme 314-315, 708-711
 - napiforme 709-711
 - negundi 297-300
 - nivale 367, 369
 - nygamai 709-711
 - oxysporum 28, 289-294, 314-315, 709-710
 - sambucinum 128
 - semitectum 709-711
 - solani 369, 709-710
 - sporotrichioides 128
 - spp. 367, 398, 401, 515
 - subglutinans 708-710
- Gaeumannomyces
 - graminis 530
- Ganoderma
 - tsugae 297-299
- Gasteromycetes 437-438
- Gautieria
 - caudata 234-235
 - graveolens 234
 - monticola 234-235, 339, 341-348
 - othii 235
- Genabea
 - cerebriformis 234-235
- Genistelloides
 - hibernus 218, 393-396
- Gibberella
 - fujikuroi 397-401
 - fujikuroi var. moniliforme 369
 - fujikuroi var. fujikuroi 369
 - fujikuroi var. intermedia 398-401
 - fujikuroi var. moniliforme 398-401
 - pulicaris 369, 397-401
 - spp. 369
- Gibellula
 - leiopus 816-817
 - pulchra 816-817
- Gigaspora
 - rosea 98-100
- Gilbertella 150-151
 - hainanensis 151, 154
 - persicaria 150-155, 152-153f
 - persicaria var. indica 151
- Gilbertellaceae 151, 155, 731
- Gliocladium
 - sp. 515
- Gloeosporium
 - corni 634, 640
 - rhoinum 789
 - sp. 634, 640
 - tremellinum 789
- Glomales 732
- Glomus
 - aggregatum 98-100, 410
 - claroides 98-100
 - deserticola 98-100, 410
 - etunicatum 98-101
 - fasciculatum 410, 554
 - macrocarpum 98-100, 410
 - mosseae 98-100, 410, 555
 - occultum 410
- Glottia 394
- Gnomonia
 - comari 207
- Gnomoniella 634
- Gongronella 150
 - sp. 297, 299-300
- Gonytrichum
 - sp. 514-515
- Greeneria
 - uvicola 755
- Grifola
 - frondosa 426-437, 822
- Gymnosporangium
 - juniperi-virginianae 4f, 6f
- Gyroporus
 - cyanescens var. violaceotinctus 562
- Hainesia 787
 - castaneae 789
 - epilobii 789
 - jabalpurensis 789
 - lunata 789
 - lythri 787-795, 790f, 793f
 - rhoina 789
 - rostrupii 789
 - viburni 789
- Haligena
 - elaterophora 228
- Halophytophthora
 - avicennae 423-424
 - bahamensis 420, 424
 - batemanensis 423-424
 - epistomium 420, 424
 - kandeliae 419, 420, 421-422f, 423-424
 - mycoparasitica 420, 424
 - operculata 420, 424
 - polymorphica 423-424
 - spinosa 420
 - spinosa var. lobata 424
 - spinosa var. spinosa 424
 - vesicula 423-424
- Halosphaeria
 - appendiculata 228
- Halosphaeriopsis
 - mediosetigera 228
- Halteromyces 150
- Hansenula
 - spp. 705
- Haptoglossa
 - mirabilis 408
- Harpellales 218, 389, 394, 731-732
- Hebeloma

- crustuliniforme 233-235, 237, 822
Helicodendron
 triglitziense 318-320
Helicostylum 731
Heliscus
 lugdunensis 82-83, 84f, 85-86, 666-667
 tentaculus 666
Helminthosporium 708
 sativum 756
 speciferum 755
Helvellaceae 105
Hesseltinella 714-715, 724, 728
 vesiculosa 713-718, 716f, 724, 725f, 726, 727f, 728-730
Heterobasidium
 annosum 296-297, 299-301, 767, 770
Hirneola
 auricula-judae 57
Hormiactis
 ontariensis 318-320
Humicola
 sp. 515
Hydnaceae 822
Hydnangium
 carneum 234
Hydnellum
 sp. 822
Hydnum
 imbricatum 822-823, 825
Hygrophoraceae 822-827
Hygrophorus
 coccineus 822
Hymenochaete
 corrugata 53, 57
Hymenogaster
 albus 234
Hymenula
 rhoia 789
Hyphoderma
 praetermissum 299-301
Hyphodontia
 subalutacea 140
Hypholoma
 fasciculare 51-52f, 52, 54f, 57
Hyphomucor 151
Hyphomycetes 515
Hypocreales 207, 801
Hypoxylon
 broomeianum 224
 fragiforme 57
 fuscum 57, 61f
 glycyrrhiza 224
 mammatum 57
 multiforme 57
 obularium 224
 purpureum 57
 rubiginosum 57
 serpens 57, 61f
 spp. 87
 truncatum 835-838
Hysterangium
 coriaceum 234-235, 339, 341-346, 348
 crassirhachis 234-235, 339-341, 343-444, 346, 348
 gardneri 234-235
 inflatum 234-235
 setchellii 235, 339, 341-344, 346, 348
 sp. 234-235
Kathistes 360
Kernia
 hippocrepida 820
Kickxellales 731-732
Kluyveromyces
 drospilarum 663
Labyrinthula 180-181
 coenocystis 189
 macrocystis 189
 spp. 180, 187-190
 vitellina var. *pacifica* 189
 vitellina var. *vitellina* 189
 zosteriae 181, 182, 183-186f, 183-190
Labyrinthulomycota 180, 189
Laccaria 578, 768
 affinis 578
 amethystina 591
 bicolor 234, 237-240, 591
 laccata 237-240, 578-592, 579
 laccata var. *affinis* 578
 laccata var. *laccata* 579, 588-589, 591-592
 laccata var. *moelleri* 579, 588-589, 591
 laccata var. *pallidifolia* 579, 584f, 588-592
 longipes 579-590
 montana 579, 584f, 588, 590-591
 ohiensis 579, 584f, 588, 590-592
 proxima 590-591
 striatula 579, 584f, 588-592
 tetraspora 578, 590
Lactarius 220
 deceptivus 821
 luteolus 822
 piperatus 822
 volemus 822
Laetiporus
 sulphureus 822
Laetisaria
 arvalis 329, 332
Leccinum
 scabrum 234-235
Lecophagus 732
Legeriomycetaceae 218
Lemonniera
 aquatica 666
Lentinula
 edodes 24-29, 354, 506-509
Lentinus 425-426, 438
 edodes 297, 299, 354-359, 355-358f, 455-462
 lepideus 426-438
 ponderosus 426-438
 strigosus 426-437
 subg. *Lentinus* 426, 437
 subg. *Lentinus* sect. *Tigrini* 426
 subg. *Panus* 426, 437-438
 subg. *Panus* sect. *Panus* 426
 subg. *Panus* sect. *Squamosi* 426
 tigrinus 426-438
 torulosus 426-437
Lentodinium
 squamulosum 438
Lepiota

- morgani 695
 naucina 821
 procera 822
 rachodes 822
 Lepiotaceae 822–827
 Lepista 504
 Leptodontium
 elatus 232
 spp. 56
 Leptodothiorella
 sp. 795
 Leptosphaeria 206, 520
 albopunctata 229
 cercocarpi 522f
 dryadophila 522–523f
 korrae 530
 macrosporidium 229
 neomaritima 229
 obiones 229
 oraemaris 229
 Leptosphaerulina
 pulchra 522f
 Leptostroma
 spp. 89–95
 Leptothyrium
 borzianum 788
 macrothecium 788
 protuberans 788
 Leucoagaricus
 naucina 822–827, 824f
 Leucogaster
 rubescens 339–345, 347–349, 352
 Leuconeurospora
 pulcherrima 820
 Leucophleps
 magnata 339, 341, 343–344, 347–348
 spinispora 234, 339, 341, 343–344, 347–348
 Lignicola
 laevis 228–229
 Limonomyces
 roseipellis 530
 Lindra
 thalassia 229
 Lophiostoma
 mangrovis 229
 Lophodermium
 conigenum 89
 piceae 95
 pinastri 89
 pini-excelsae 89
 seditiosum 89
 spp. 89
 Lulworthia
 grandispora 228
 lignoarenaria 228
 spp. 228–229
 Lunulospora
 curvula 666–667
 Lycoperdales 823
 Lycoperdon
 pyriforme 823
 Magnaporthe 446
 grisea 9
 poae 530
 Marasmius 30
 anomalus 38
 balansae 35
 bambusiniiformis 32
 bambusinus 32
 bellipes 34
 cladophyllus 34
 cohaerens 34
 felix 32
 floridanus 30
 floridanus var. floridanus 33f, 34–36
 floridanus var. virginianus 35, 36, 36f
 glabellus 34
 graminum 32
 haematocephalus var. anomaloides 37, 37f, 38
 haematocephalus var. haematocephalus 36–38
 haematocephalus var. leucophyllus 38
 pseudobambusinus 31, 31f
 puniceus 32
 robinianus 38–39
 ser. Haematocephali sect. Sicci 70
 similis 38–39
 sp. 34
 spadiceus 30, 32, 34–35
 spgazzinii 35
 spissus 34
 squamosidiscus 503
 subrotula 38–39
 sullivantii 34
 virginianus 35
 Marinospora
 calytrata 228
 Massarina
 acrostichi 844–845
 cystophorae 844
 lacertensis 844–845
 ramunculicola 839, 842, 842–844f, 844–845
 thalassiae 844–845
 velatospora 839, 840–841f, 842, 844–845
 Massariothea 198
 Mastigosporium
 lupini 826
 Melanconium
 fuligineum 755
 Melanogaster
 variegatus 234
 Meristacraceae 731
 Merulius
 tremellosus 297, 299
 Microallomyces 46
 Microdochium
 nivale 367
 nivale var. majus 369
 Micromonospora
 rosaria 783–785
 Micromucor 151
 Microsporium
 gypseum 779–785
 Microthelia
 lindleri 228–229
 Monascella 105
 Monodictys
 pelagica 229
 putredinis 229

- Mortierellaceae 731
 Mortierella 730
 candelabrum 648
 isabellina 297, 299–300
 sect. Actinomortierella 726
 spinosa 297, 300
 Mortierellaceae 155, 726
 Mucor 151
 hiemalis 297–300
 mucedo 28
 ramannianus 297, 299–300
 sp. 515
 spp. 50
 Mucorales 154–155, 714, 728, 731–732
 Mycena
 galericulata 426–437
 Mycoacia
 uda 54f
 Mycoamaranthus
 auriobis 234–235
 Mycoarctium 105
 Mycotypha 728
 poitrasii 730
 Mycotyphaceae 726, 730–731
 Myriogenospora
 atramentosa 601
 Myxomycetes 515
 Myxosporium 207
 croceum 207
 everhartii 205, 634
 nitidum 200–201, 203f, 204–207, 634
 Naemaspora
 crocea 207
 Nectria 797, 801
 alata 802–803
 cinnabarina 801
 cucurbitula 207
 fragariae 802–803
 penicilliferi 802
 sinopica 207
 subgenus Dialonectria 801
 Neocallimastix 303
 sp. 40–47, 43–44f
 Neocosmospora 797
 arxii 802
 endophytica 798, 799–800f, 802–803
 tenuicristata 802
 vasinfecta 802–803
 Neolentinus 438
 Neozygitaceae 731
 Nereiospora
 cristata 228
 Neurospora 426, 768, 829
 crassa 222, 273, 330, 752
 discreta 831
 dodgei 831
 galapagosensis 831
 intermedia 273
 lineolata 831
 pannonica 829, 830f, 831
 sitophila 273
 spp. 273
 terricola 831
 Nia
 vibrissa 229
 Niessliaceae 801
 Nigrospora
 sphaerica 288
 Nomuraea
 rileyi 264–272, 267–270f
 Nummularia
 broomeiana 226
 hyalospora 224
 obularia 224
 signata 226
 Nyctalis
 asterophora 220
 Obiectodiscus
 aquaticus 207
 Ochropsora 440
 Oedocephalum 524–525
 album 525–526
 argillaceum 525
 elegans 525
 naylorense 524, 525, 525–526f
 pallidum 525
 sect. Crystallina 525
 sect. Glomerulosa 525
 sect. Oedocephalum 525
 spp. 525
 Omphalotus
 olearius 822
 Oomycetes 97, 101, 163, 177, 473, 732
 Ophiostoma 698, 706
 cucullatum 698–706, 701–704f
 davidsonii 698–700, 705–706
 minus 297, 299
 stenoceras 700, 705
 Orphella 214, 218
 haysii 217–218
 hiemalis 214, 215–217f, 217–218, 390, 395
 Oudemansiella
 radicata 822–823, 824f
 Paecilomyces
 farinosus 264
 sp. 514–515
 variotii 752
 Panellus
 stypticus 332
 Panus 425
 fragilis 437–438
 rudis 437
 Papulaspora 524
 appendicularis 527
 aspergilliformis 527
 nishigaharanas 527, 527–528f, 529
 parasitica 527
 piscicola 527
 spp. 527
 Paramoebidium 395
 bibrachium 395
 corpulentum 389, 390, 393f, 395
 curvum 395
 inflexum 395
 sp. 394
 Paraperonospora 475
 leptosperma 476

- Parasitella 151
 Patellina
 fragariae 789, 794
 Paxillus
 involutus 234
 Penicillifer 797, 801
 bipapilatus 802
 fragariae 802–803
 furcatus 798, 799f–800f, 802
 macrosporus 802
 Penicillium 779, 783–784
 chrysogenum 784
 claviforme 222
 digitatum 237
 diversum 297, 299
 expansum 805–813
 glabrum 289–294
 griseofulvum 4
 sp. 514
 urticae 752
 Peniophora
 cinerea 131–132, 136, 736–740
 ludoviciana 138
 rufa 285
 Pennella 394
 Perenniporia
 subacida 297, 299–300
 Periconia
 prolifera 229
 Peridermium
 harknessii 251–255
 stalactiforme 251
 Peronosclerospora 446
 Peronospora 476
 alta 476
 borreriae 473, 476
 conferta 476
 fontana 476
 knaustiae 476
 lepidii 476
 parasitica 476
 pisi 12f, 14
 plantaginis 476
 radii 476
 violaceae 476
 Pestalotia
 lupini 826
 oenotherae 511
 pezizoides 511
 sp. 515
 spp. 511
 Pestalotiopsis 511
 oenotherae 511, 512f
 uvicola 511
 Peziza
 cenotherae 788
 Pezizaceae 105
 Pezizales 545–546
 Pezizella
 lythri 787
 Phaeocollybia 464
 ambigua 464, 465f, 466, 469f
 caudata 465f, 466, 467, 469f
 colombiana 464
 hilaris 466
 kauffmanii 468
 latispora 470
 martinicensis 468
 oligopora 464, 468–470, 469f, 470
 piceae 468
 quercetorum 464, 467–468, 468f, 471f
 querqueti 467
 ratticauda 467
 sect. Microspora 464, 466–467
 sect. Phaeocollybia 466
 sect. Subattenuatae 468
 sect. Versicolores 470–471
 singeri 468
 singularis 468f, 470, 471f
 subarduennensis 466
 Phaeocystostroma 198
 Phaeolus
 schweinitzii 285
 Phaeosphaeria
 thomasi 522f
 Phaeotrichum
 hystricinum 820
 Phakopsora 440
 Phallus
 impudicus 57
 Phanerochaete
 chrysosporium 50
 laevis 57
 magnoliae 50
 spp. 50, 58
 velutina 51f, 52, 54–55f, 56–57
 Phascolumyces 731
 Phellinus
 pini 297, 299–300
 Phialocephala
 dimorphospora 297, 299
 Phialographium 698
 Phialophora
 graminicola 530
 Phialopycnidinea 198
 Phialostromatineae 198, 787
 Phlebia
 lilascens 131–132, 134–135f, 137, 140
 livida 131, 134f, 137–138
 ochraceofulva 138–139
 radiata 50, 56–57
 subochracea 131, 134–135f, 136, 138
 Phlebiella
 tulasnellodea 140
 Phleospora 612, 617
 Phlyctaena
 asparagi 192
 Phoma 200–201, 204
 asparagi 192, 196
 asparagi f. tami 198
 aurantiacum 201
 media 197
 nitidum 201
 sorghina 288
 sp. 515
 Phomopsis 198, 639
 asparagi 192–194, 196–198, 197f
 asparagicola 192, 196, 198

- corni 640
 javanica 193-194, 194, 195f, 196, 198
 sp. 192, 515
 spp. 795
 theae 198
- Phycomyces 151, 489
 blakesleeianus 480
 spp. 728
- Phycomycetaceae 150-151, 731
- Phyllosticta
 cornicola 617
 spp. 795
- Phymatotrichum
 omnivorum 669-672
- Physarum
 flavicomum 213
 pusillum 213
 rigidum 213
- Phytophthora
 colocasiae 519
 cryptogea 378-379
 infestans 657, 661
 macrochlamydospora 517, 518f, 519
 medicaginis 377, 377-380
 megasperma 376-380
 megasperma f. sp. glycinea 377, 379, 517-519
 megasperma f. sp. medicaginis 377-380
 megasperma f. sp. trifolii 378, 380
 megasperma var. megasperma 378, 380
 megasperma var. soiae 377-379
 melonis 519
 soiae 377-380
 soiae f. sp. glycines 377, 379
 soiae f. sp. medicaginis 377
 trifolii 377-380, 378
- Pichia
 spartinae 662-664
- Pilaira 155
- Pilidium 787
 australasicum 788
 concavum 787-795, 790-791f
- Pilobolaceae 155, 731
- Pilobolus 155
 umbonatus 731
- Piloderma
 croceum 234-235
- Piptocephalis 732
 virginiana 643-648, 646f
 xenophila 643-645, 647-648
- Piptoporus
 betulinus 57, 285
- Pirella 731
- Piromyces 303
- Pisolithus
 tinctorius 234
- Placosphaeria
 lysimachiae 788, 794
 oenotherae 788
- Plasmopara 473, 478
 borrieriae 476, 477-478, 477f
 centaureae-mollis 476
 cruseae 473, 476, 478
 gonolobi 478
 obducens 473, 476
 sphaerosperma 476
- Plectania
 spp. 546
- Plectophomella 198
- Pleiochaeta
 setosa 826, 827f, 828
- Pleospora
 pelagica 229
- Pleuroascus
 nicholsonii 820
- Pleurophragmium
 simplex 373
- Pleurotus 425, 767, 770
 cornucopiae 57
 eryngii 739
 ostreatus 767
 spp. 24, 354
- Pluteus
 cervinus 822
- Podospora 817, 820
 anserina 222
 austro-americana 818, 820
 curvicolla 820
 fibrinocaudata 818, 819f, 820
 fimicola 820
 minicauda 818, 820
 praecox 820
 prolifica 820
- Poitrasia 155
- Polyporaceae 425-426, 437, 822
- Polyporus 437
 arcularis 426-438
 biennis 329
 squamosus 426-437
- Pouzaromyces
 minutus 834
 napaliensis 832, 833-834
- Preussia
 funiculata 820
- Protoctista 180
- Pseudoaegerita
 matsushimae 318-320
- Pseudographis
 elatina 207
- Pseudonectria
 rousseliana 801
- Pseudonectriella
 ahmadii 801
- Pseudorobillarda 198
- Psilocybe
 cubensis 821
- Pteromaktron
 protrudens 218
- Puccinia 446
 arachidis 8f, 10, 11f, 16f
 arundinariae 14f
 bolleyana 14f
 coronata 294
 graminis f. sp. tritici 254
 podophylli 12f
 sorghi 4f
 substriata var. indica 565-575, 568f, 571f
 trititica 3f
- Pycnidella

- resinae 207
 Pycnoporus 437
 Pyrenula
 nitida 56
 Pyronema 105
 Pyronemataceae 105-106
 Pythium 101, 661
 aphanidermatum 530
 irregulare 657-658, 658-659f, 660-661
 spp. 97
 ultimum 97
 Pyxidiophora 360
 spp. 363, 365
 Radiigera
 atroleba 234-235
 Radiomyces 714-715, 726
 embreei 713, 715, 716-717f, 717, 719-720f, 722,
 724, 726, 729-730
 mexicana 715, 716-717f, 718, 720-721f, 722, 723f,
 724, 728-730
 spectabilis 713, 715-716, 716f, 719-720f, 722, 724,
 726, 729-730
 spp. 714, 726, 728
 Radiomycetaceae 713-714, 726, 730-731
 Radiomycopsis 715
 embreei 717
 Ramaria
 sp. 822
 Ramularia
 nymphaeaeum 513
 Remispora
 maritima 228
 quadrirremis 228
 Rhizocarpon
 geographicum 56
 Rhizoctonia 768
 cereal 288, 530
 oryzae 289-294
 solani 56, 289-294, 329, 530
 spp. 330
 zeae 530
 Rhizomucor 151
 Rhizophydium
 macrosporum 674, 678
 Rhizopodopsis 151
 Rhizopogon 426, 437-438
 clavitisporus 234
 colossus 234
 ellenae 234
 evadens 234
 hawkeriae 234
 occidentalis 234
 ochraceisporus 234
 ochraceorubens 234
 parksii 339, 341-345, 347-348
 rearii 234
 subcaerulescens 339, 341-344, 347-348, 352
 vinicolor 234, 339-344, 347-348
 vulgaris 234
 Rhizopus 151
 arrhizus 297, 299
 sp. 515
 spp. 50
 stolonifer 154, 273
 Rhodophyllaceae 822-823
 Rhodosporidium 107
 paludigenum 107-108
 sphaerocarpum 109
 toruloides 109
 Rhodotorula 107
 glutinis 107-108
 graminis 107-108
 Rhodotus 502-504
 Rhynchosporium
 orthosporum 774-778, 778-779f
 secalis 774, 777
 Rhysotheca 478
 borreriae 476, 478
 Ripartitella 503-504
 Ripartites 504
 Rosellinia
 aquila 57
 desmazieresii 57
 Russula 220
 albidula 822
 densifolia 220
 virescens 822
 Russulaceae 822-827
 Saccharomyces
 cerevisiae 426, 506, 663, 805-813
 ellipsoideus 663
 Saprolegnia
 ferax 163-177, 166f, 168f, 170f, 172f, 174f, 176f
 sp. 163
 Sarcodon
 scabrosus 234
 Sarea
 resinae 207
 Schizophyllum 766
 commune 50-51, 57, 222, 273-274, 283, 285, 354,
 359, 654-656, 776
 Schizothecium 820
 Sclerocystis
 coremioides 98-100
 Scleroderma
 citrinum 823
 Sclerodermatales 823
 Sclerotinia
 homoeocarpa 530
 Sclerotium
 australasica 787
 concava 788
 pelargonii 788
 potentillae 788
 rubi 788
 testudinea 787-789
 Sclerotium
 hydrophilum 513-516, 624-632
 oryzae 513
 rolfsii 513, 631
 sclerotiorum 631
 sp. 513
 Scleroglyphus
 cucurbitula 756
 Scutellinia 105
 Scutelliniaceae 105-106
 Scutellinioideae 105
 Scutellispora

- arenicola 541
 biornata 541
 calospora 410, 541
 coralloides 541
 dipapillosa 541
 dipurpurascens 541
 gregaria 541
 heterogama 541
 nodosa 537, 538–539f, 540–541
 pellucida 541
 persica 541
 reticulata 541
 verrucosa 541
 Septoria 611
 blasdalei 622
 canadensis 612, 613f, 614, 615f, 618f, 622
 corni 617, 619
 cornicola 611–612, 614, 614–615f, 617, 618f, 619–622
 cornicola var. ampla 617
 cornicola var. dahurica 612, 619
 cornimaris 614, 618f, 621–622
 cornina 612, 614, 616f, 618f, 619–622
 floridae 612, 613f, 614, 618f, 621–622
 glycines 836–837
 spp. 612
 variegata 622
 Septosperma
 multiforma 679
 rhizophydii 674–677, 676–677f, 678–679
 Serpula
 lacrymans 297–299
 Sigmoidea
 marina 228
 prolifera 666
 Simuliummyces
 microsporus 396
 spica 218, 390, 393–396
 Smittium
 culisetae 395
 spp. 394–395
 Sordaria 21
 Sphaeria
 cornicola 617
 lichenoides var. cornicola 611, 617
 Sphaeromonas 303
 communis 303
 Sphaeronaemella 360
 Sphaeronema
 aurantiacum 200–201, 204
 corneum 789, 794
 Sphaeropsis
 sp. 515
 Sporidesmiella 375
 hyalosperma var. hyalosperma 375
 hyalosperma var. novae-zelandiae 371, 373, 375
 spp. 375
 Sporidesmium 375
 hyalospermum var. novae-zelandiae 373, 375
 Sporidiobolus 107
 ruinenii 107–109
 ruinenii var. coprophilus 109
 Sporobolomyces 107
 albo-rubescens 107
 coprophilus 107–109
 gracilis 107
 Sporodiniella 151
 Sporonema
 dubium 788
 pulvinatum 789
 quercicola 788
 Sporothrix
 schenckii 271
 Stachylina
 reflexa 218
 Steccherinum
 fimbriatum 57
 Stereum 64
 complicatum 57, 64, 66f
 gausapatum 57
 hirsutum 56–59, 59f, 62–65, 63, 65f, 66f
 insignitum 57
 ochraceo-flavum 57
 rameale 57
 rufum 285
 rugosum 57
 sanguinolentum 57
 spp. 50, 58, 63
 striatum 57
 subtomentosum 57, 297–299
 Stipella 394
 Stropharia
 sp. 822
 Strophariaceae 822
 Stylopage 403
 anomala 360–365, 362f, 364f
 rhabdospora 403, 408
 rhynchospora 365
 Suillus 438
 flavoluteus 822
 grevillei 822
 salmonicolor 822
 Syncephalastrum
 racemosum 515
 Syncephalis
 sphaerica 643–648, 646f
 Syzygites 151
 Tetrachaetum
 elegans 666
 Tetracadium
 marchalianum 82–83, 85–87, 666–667
 Thamnidaceae 150, 713, 715, 726, 728, 731
 Thamnidium 731
 Thamnostylum 726, 731
 Thelebolaceae 105
 Thermomucor 151
 indicae-seudaticae 731
 Titaeospora 198
 Torpedospora
 radiata 228
 Torula
 sp. 515
 Trametes
 versicolor 285, 297, 299
 Tremella 332, 770
 globospora 274–276, 278–285, 332, 446–453
 indecourata 275, 277, 279–283, 446–453
 mesenterica 274, 283, 332

- moriformis 274-276, 278-285, 446-453
- sp. 332
- Tremellales 322, 332
- Trichocladium
 - achrasporum 229
- Trichoderma 455, 779, 784
 - hamatum 258
 - harzianum 257-262, 289-294, 297, 299-300, 302, 455-462, 456-457, 460f, 784-785
 - koningii 297, 299-300
 - reesei 783, 785
 - sp. 300
 - spp. 257, 298-299, 302, 514-515
 - viride 806-813
- Tricholoma
 - magnivelare 234
 - spp. 235
- Tricholomataceae 425-426, 437, 502-504, 578, 822-827
 - tribe Clitocybeae 504
- Tricholomopsis
 - platyphylla 57, 298-301
- Trichomycetes 732
- Tricladium
 - chaetocladium 666
 - splendens 83, 84f, 85-86, 666
- Triscelophorus
 - sp. 666
- Truncocolumella
 - citrina 339, 341-345, 347-348
- Tuber
 - aestivum 234
 - borchi 234
 - uncinatum 234
- Tubercularia
 - rhois 789, 794
 - zythioides 789
- Tubulicrinis
 - gracillimus 140
 - subulatus 140
- Tulasnella
 - araneosa 332
 - sp. 332
- Tulasnellales 322, 332-333
- Umbelopsis 726
- Uromyces
 - appendiculatus 4f
 - digitatus 650
 - koae 650
 - spp. 648
 - viciae-fabae 11f
- Uromycladium 653
- Ustilago
 - maydis 506
 - striiformis 8f
- Utharomyces 155
- Valsaria
 - insitiva 756
- Varicosporina 227
- ramulosa 228-229
- Vermispora 230, 232
 - cauveriana 230, 231f
 - grandispora 232
 - obclavata 232
- Verticillium
 - sp. 514-515
- Volutella 801
 - sp. 514-515
- Volvariaceae 822-823
- Volvariella
 - volvacea 24
- Wangiella
 - dermatitidis 784
- Wilsonomyces
 - carophilus 4f
- Xylaria
 - hypoxylon 57, 480
 - polymorpha 297, 299
- Xylocladium 226
- Zalerion
 - maritimum 229
 - varium 229
- Zoopagaceae 155, 403, 408
- Zoopagales 155, 403, 643, 732
- Zoopage 403
- Zoophagus 732
 - insidians 403, 732
- Zopfiella
 - pleuropoda 820
- Zychaea 726, 731
- Zygomyces 515, 732
- Zygomycotina 731-732
- Zygopolaris
 - borealis 218
 - ephemeridarum 218
- Zygorhynchus 151
- Zythia 200-201, 204, 206-207
 - aurantiaca 200-201, 204, 206
 - elegans 206-207
 - fragariae 207
 - resinae 207
 - spp. 207
- Zythiaceae 207
- Zythiostroma 207
 - mougeotii 207
 - pinastri 207

HOST INDEX

The Host Index includes generic names of host species, and the names of those fungi definitely indicated in the text as occurring on a particular host.

- Abies**
Aleurodiscus subglobosporus 550
Leptostroma spp. 89
Phlebia livida 137
- Acacia**
Atelocauda angustiphylloda 650
digitata 650
koae 650
Uromyces digitatus 650
- Acer**
Beverwykella pulmonaria 320
Cryphonectria parasitica 158
Helicodendron triglitzense 320
Heterobasidion annosum 300
Hormiactis ontariensis 320
Peniophora cinerea 737
Pseudoaegerita matsushimae 320
Tremella moriformis 277
Tricholomopsis platyphylla 300
- Aegiceras**
Massarina velatospora 839
- Agave**
Allantonectria miltina 801
- Agrostis**
Acremonium typhinum 73, 602
- Allocapnia**
Ejectosporus magnus 390
Genistelloides hibernus 218
Orphella hiemalis 214
Simuliumyces spica 218
- Allocapnium**
Paramoebidium corpulentum 398
- Alnus**
Peniophora cinerea 132
Phlebia subochracea 138
- Althaea**
Phytophthora megasperma 376
- Ammophila**
Acremonium typhinum 602
- Anthemis**
Paraperonospora leptosperma 476
Peronospora radii 476
- Asparagus**
Phoma asparagi 196
Phomopsis asparagicola 196
aspragi 192
javanica 194
- Avicennia**
Massarina velatospora 839
- Baccharis**
Tremella indecorata 277
- Betula**
Peniophora cinerea 132, 738
Phlebia lilascens 132
- Brassica**
Phytophthora megasperma 376
- Buxus**
Pseudonectria rousseliana 801
- Castanea**
Cryphonectria parasitica 158
- Celtis**
Peniophora cinerea 737
- Cerastium**
Peronospora conferta 476
fontana 476
- Chamaecyparis**
Neocosmospora endophytica 801
Phlebia lilascens 132
- Chamomilla**
Paraperonospora leptosperma 476
Peronospora radii 476
- Choanephora**
Dimargaris cristalligena 643
Piptopezalis virginiana 643
xenophila 643
- Cicer**
Phytophthora medicaginis 377
- Compositae**
Bremiella artemisiae-annuae 475
chrysanthemi-coronarii 475
multiformis 475
- Cornus**
Cryptodiaporthe corni 206, 634
Discula destructiva 637
Gloeosporium corni 640
sp. 640
Myxosporium corni 206
everhartii 205, 634
nitidum 634
Peniophora cinerea 737
Phomopsis corni 640
Septoria canadensis 617, 622
cornicola 611, 617, 622
cornimaris 621, 622
cornina 619, 622
floridae 621, 622
sp. 611
- Crataegus**
Neocosmospora endophytica 798
- Cruciferae**
Albugo candida 476
Peronospora parasitica 476
- Crusea**
Plasmopara borrieriae 476
- Cyperus**
Balsania cyperi 288
- Dactylis**
Rhynchosporium orthosporum 774
- Danthonia**
Atkinsonella hypoxylon 602

- Digitaria
 - Sclerotinia hydrophilum 516
- Elymus
 - Acremonium typhinum 73
- Enchinichloa
 - Sclerotinia hydrophilum 516
- Equisetum
 - Discula kriegieriana 639
- Eucalyptus
 - Hainesia lythri 794
- Fagus
 - Beverwykella pulmonaria 320
 - Helicodendron triglitzense 320
 - Peniophora cinerea 132, 738
 - Phlebia lilascens 132
 - livida 137
 - Pseudoaegerita matsushimae 320
- Festuca
 - Acremonium coenophialum 110, 288, 530, 534, 602
 - sp. 534
 - starrii 534
 - typhinum 73
 - uncinatum 602
 - Epichloe typhina 534
- Ficus
 - Vermispora cauveriana 230
- Fomes
 - Neocosmospora endophytica 801
- Fragaria
 - Nectria fragariae 802
 - Pilidium concavum 794
- Fraxinus
 - Peniophora cinerea 132, 738
 - Tremella moriformis 277
- Gaura
 - Pestalotiopsis uvicola 511
- Glycine
 - Cercospora kikuchii 752
 - Phytophthora macrochlamydospora 517
 - megasperma f. sp. glycinea 517
- Hudsonia
 - Neocosmospora endophytica 801
- Hydrocharis
 - Sclerotinia hydrophilum 516
- Hystrix
 - Acremonium typhinum 73
- Impatiens
 - Bremiella sphaerosperma 473
 - Plasmopara obducens 473, 476
- Juglans
 - Tremella moriformis 277
- Juncellus
 - Sclerotinia hydrophilum 516
- Kandelia
 - Halophytophthora kandeliae 419
- Keterleeria
 - Aleurodiscus gigasporus 548
- Knautia
 - Peronospora knautiae 476
 - violaceae 476
- Lepidium
 - Peronospora lepidii 476
 - parasitica 476
- Ligustrum
 - Peniophora cinerea 737
 - Tremella moriformis 276
- Lolium
 - Acremonium lolii 288, 530, 534
 - Epichloe typhina 534
- Lonehocarpus
 - Atelocauda incrustans 653
- Lupinus
 - Pleiochaeta seotsa 826
- Lysimachia
 - Pilidium concavum 794
- Lythrum
 - Pilidium concavum 794
- Maticaria
 - Paraperonospora leptosperma 476
 - Peronospora radii 476
- Medicago
 - Phytophthora medicaginis 377
 - megasperma 376
- Millet
 - Fuaria 708-711
- Mitracarpus
 - Plasmopara borrieriae 476
- Morus
 - Gilbertella persicaria 154
- Musa
 - Gilbertella persicaria 154
- Myriophyllum
 - Sclerotinia hydrophilum 516
 - Sclerotium hydrophilum 624
- Neon
 - Gibellula pulchra 816
- Nymphaea
 - Alternaria spp. 515
 - Aspergillus sp. 515
 - Botrytis cinerea 514-515
 - Ceratocystis sp. 515
 - Chaetomium spp. 514-515
 - Cladosporium sp. 514-515
 - Curvularia sp. 514-515
 - Cylindrocladium sp. 515
 - Dichotomophthoropsis nymphaearum 513, 515-516, 624
 - Diderma effusum 514-515
 - Endophragma hyalosperma 515
 - Epicoccum nigrum 515
 - Fusarium spp. 515
 - Gliocladium sp. 515
 - Gonytrichum sp. 514-515
 - Humicola sp. 515
 - Mucor sp. 515
 - Paecilomyces sp. 514-515
 - Penicillium spp. 515
 - Pestalotia sp. 515
 - Phoma sp. 515
 - Phomopsis sp. 515
 - Rhizopus sp. 515
 - Sclerotium hydrophilum 513, 514-516, 624
 - Sphaeropsis sp. 515
 - Syncephalastrum racemosum 515
 - Torula sp. 515
 - Trichoderma spp. 514-515
 - Verticillium sp. 514-515
 - Volutella sp. 514-515

- Oenothera*
Cryptostictis oenotherae 511
Pestalotia oenotherae 511
Pestalotiopsis oenotherae 512
Pilidium concavum 794
Orenopsis
Vermispora grandispora 232
Oryza
Dichotomopthoropsis nymphaearum 513
Paeonia
Pilidium concavum 787
Panicum
Balsania henningsiana 288
Pennisetum
Puccinia substriata var. *indica* 565
Phleum
Epichloe typhina 288
Phytolacca
Phomopsis asparagi 198
Picea
Fomitopsis pinicola 300
Leptostroma spp. 89
Pinus
Cronartium quercuum f. sp. *baksianae* 440-441
quercuum f. sp. *echinatae* 440-441
quercuum f. sp. *fusiforme* 440-441
quercuum f. sp. *virginianae* 440-441
Hyphoderma praetermissum 300
Peridermium harknessii 251
Plantago
Peronospora alta 476
plantaginis 476
Poa
Acremonium coenophialum 534
starrii 602
Populus
Phlebia subochracea 138
Pseudotsuga
Phytophthora megasperma 376
Tremella globospora 276
Pyrus
Gilbertella persicaria 154
Quercus
Cronartium quercuum f. sp. *densiflorae* 440-441
quercuum f. sp. *thunbergii* 440-441
Cryphonectria parasitica 158
Daedalea quercina 300
Peniophora cinerea 132, 737
Phlebia lilascens 132
subochracea 138
Rhamnus
Peniophora cinerea 132, 738
Rhizophora
Massarina ramunculicola 842
velatospora 839
Rhus
Peniophora cinerea 737
Pilidium concavum 794
Rosa
Pilidium concavum 788
Rubus
Tremella globospora 276
Solanum
Puccinia substriata var. *indica* 565
Soneratia
Massarina velatospora 839
Spartina
Pichia spartinae 662-664
Spermacoce
Plasmopara borrieriae 477
Sphenopholis
Epichloe typhina 743
Sporobolus
Balsania epichloe 602
Stipa
Acremonium chisosum 602
sp. 602
Atkinsonella texensis 602
Syringa
Peniophora cinerea 737
Tamus
Phomopsis asparagi 198
Thevetia
Gilbertella persicaria 154
Tilia
Peniophora cinerea 737
Trifolium
Phytophthora megasperma f. sp. *trifolii* 380
trifolii 378
Typha
Sclerotinia hydrophilum 516
Ulmus
Phlebia subochracea 138
Tremella moriformis 277
Umbelliferae
Bremiella baudysii 475
oenantheae 475
Viola
Bremiella megasperma 475
Vitis
Pestalotiopsis uvicola 511
Xylocarpus
Massarina velatospora 839
Yucca
Allantonectria miltina 801
Zelkova
Tremella moriformis 276
Zizania
Sclerotium hydrophilum 513, 516
oryzae 513

